

Handwoven stainless steel netting



<http://www.hebmetalmesh.com>


Hebmetalmesh



Since 1991

<http://www.hebmetalmesh.com>

HEBEI KETONG METAL MESH INDUSTRY CO., LTD



www.hebmetalmesh.com
info@hebmetalmesh.com

Pliable, transparent grid structures made of stainless steel rope from Hebmetalmesh series are multifunctional and durable, Hebmetalmesh handwoven stainless steel netting was subjected to numerous tests and complies with all applicable standards: as a permanent protective and safety mesh for zoo mesh, animal enclosures, bird aviary, it is absolutely UV- and weather-resistand, unlike conventional knotted plastic fiber meshes.

Hebmetalmesh handwoven stainless steel netting has the skin-like characteristics of diaphragm, it can from a plane surfae but can also be tensioned into three-dimensional forms featuring funnel-type, cylin-drical, or spherical shapes.

100% Hand Woven, Strong, Flexible, Soft, Durable, No Rust, No Corrosion, Useful Life Over 30 Years.

Extremely beautiful and very delicately made.


Pliable for any terrain.

Over 20 Years Rich Experience, Technology, Professional Manufacture.




ID	Wire rope diameter		Wire rope construction	Min. breaking Load (KN)	Hole size	
HM1220	3/64"	1.2mm	7 x 7	1.22	4/5" x 4/5"	20mm x 20mm
HM1225	3/64"	1.2mm	7 x 7	1.22	1" x 1"	25.4mm x 25.4mm
HM1238	3/64"	1.2mm	7 x 7	1.22	1.5" x 1.5"	38mm x 38mm
HM1250	3/64"	1.2mm	7 x 7	1.22	2" x 2"	51mm x 51mm
HM1276	3/64"	1.2mm	7 x 7	1.22	3" x 3"	76mm x 76mm
HM1210	3/64"	1.2mm	7 x 7	1.22	4" x 4"	102mm x 102mm
HM1625	1/16"	1.6mm	7 x 7	2.17	1" x 1"	25.4mm x 25.4mm
HM1638	1/16"	1.6mm	7 x 7	2.17	1.5" x 1.5"	38mm x 38mm
HM1650	1/16"	1.6mm	7 x 7	2.17	2" x 2"	51mm x 51mm
HM1676	1/16"	1.6mm	7 x 7	2.17	3" x 3"	76mm x 76mm
HM1610	1/16"	1.6mm	7 x 7	2.17	4" x 4"	102mm x 102mm
HM2038	5/64"	2.0mm	7 x 7	3.17	1.5" x 1.5"	38mm x 38mm
HM2050	5/64"	2.0mm	7 x 7	3.17	2" x 2"	51mm x 51mm
HM2076	5/64"	2.0mm	7 x 7	3.17	3" x 3"	76mm x 76mm
HM2010	5/64"	2.0mm	7 x 7	3.17	4" x 4"	102mm x 102mm
HM2450	3/32"	2.4mm	7 x 7	4.18	2" x 2"	51mm x 51mm
HM2476	3/32"	2.4mm	7 x 7	4.18	3" x 3"	76mm x 76mm
HM2410	3/32"	2.4mm	7 x 7	4.18	4" x 4"	102mm x 102mm
HM3250	1/8"	3.2mm	7 x 19	7.38	2" x 2"	51mm x 51mm
HM3276	1/8"	3.2mm	7 x 19	7.38	3" x 3"	76mm x 76mm
HM3210	1/8"	3.2mm	7 x 19	7.38	4" x 4"	102mm x 102mm

Hole size image (the square is 1' x 1')




4/5" x 4/5"

HM1220




1" x 1"

HM1225
HM1625




1.5" x 1.5"

HM1238
HM1638
HM2038




2" x 2"

HM1250
HM1650
HM2050
HM2450
HM3250



3" x 3"

HM1276
HM1676
HM2076
HM2476
HM3276



4" x 4"

HM1210
HM1610
HM2010
HM2410
HM3210



Heb metalmesh

**Every knot we woven
for twice, its luxurious and
beautiful.**

HEBEI KETONG METAL MESH INDUSTRY CO. LTD
<http://www.hebmetalmesh.com>



Heb metal mesh

Aviary mesh Bird netting

Recommended specification: HM1225

Product ID	Wire cable diameter Inch	Wire cable diameter mm	Mesh hole size Inch	Mesh hole size mm	Weight (kg/m2)
HM2050	5/64"	2.00	2" x 2"	51 x 51	0.80
HM2038	5/64"	2.00	1.5" x 1.5"	39 x 39	1.10
HM1650	1/16"	1.60	2" x 2"	51 x 51	0.50
HM1638	1/16"	1.60	1.5" x 1.5"	39 x 39	0.65
HM1625	1/16"	1.60	1" x 1"	25.4 x 25.4	1.10
HM1250	3/64"	1.20	2" x 2"	51 x 51	0.25
HM1238	3/64"	1.20	1.5" x 1.5"	39 x 39	0.40
HM1225	3/64"	1.20	1" x 1"	25.4" x 25.4"	0.55
HM1220	3/64"	1.20	4/5" x 4/5"	20 x 20	0.73



HEBEI KETONG METAL MESH INDUSTRY CO., LTD

[http://www. hebmetal mesh. com](http://www.hebmetal mesh. com)




Heb metal mesh

Parrots macaw enclosure fence mesh

Recommended specification:HM1638

Product ID	Wire cable diameter Inch	Wire cable diameter mm	Mesh hole size Inch	Mesh hole size mm	Weight (kg/m2)
HM2450	3/32"	2.38	2" x 2"	51 x 51	1.07
HM2050	5/64"	2.00	2" x 2"	51 x 51	0.80
HM2038	5/64"	2.00	1.5" x 1.5"	39 x 39	1.10
HM1650	1/16"	1.60	2" x 2"	51 x 51	0.50
HM1638	1/16"	1.60	1.5" x 1.5"	39 x 39	0.65
HM1625	1/16"	1.60	1" x 1"	25.4 x 25.4	1.10
HM1238	3/64"	1.20	1.5" x 1.5"	39 x 39	0.40
HM1225	3/64"	1.20	1" x 1"	25.4 x 25.4	0.55



HEBEI KETONG METAL MESH INDUSTRY CO., LTD

<http://www.hebmetalmesh.com>

Recommended specification:HM2050

Product ID	Wire cable diameter Inch	Wire cable diameter mm	Mesh hole size Inch	Mesh hole size mm	Weight (kg/m2)
HM2476	3/32"	2.38	3" x 3"	76 x 76	0.72
HM2450	3/32"	2.38	2" x 2"	51 x 51	1.07
HM2076	5/64"	2.00	3" x 3"	76 x 76	0.50
HM2050	5/64"	2.00	2" x 2"	51 x 51	0.80
HM1676	1/16"	1.60	3" x 3"	76 x 76	0.37
HM1650	1/16"	1.60	2" x 2"	51 x 51	0.50
HM1638	1/16"	1.60	1.5" x 1.5"	39 x 39	0.65





Heb metal mesh

Deer enclosure fence mesh

Recommended specification:HM2410

Stainless steel wire rope: 3/32" (2.38 mm);
Mesh opening size: 4" x 4" (102 mm x 102mm);
Standard sheet size: 30' x 60'
Customized sheet height: 1' to 30'
Customized sheet width: 1' to 80'



Product ID	Wire cable diameter Inch	Wire cable diameter mm	Mesh hole size Inch	Mesh hole size mm	Weight (kg/m2)
HM2410	3/32"	2.38	4" x 4"	102 x 102	0.54
HM2476	3/32"	2.38	3" x 3"	76 x 76	0.72
HM2450	3/32"	2.38	2" x 2"	51 x 51	1.07
HM2076	5/64"	2.00	3" x 3"	76 x 76	0.50
HM2050	5/64"	2.00	2" x 2"	51 x 51	0.80

HEBEI KETONG METAL MESH INDUSTRY CO. LTD
<http://www.hebmetalmesh.com> info@hebmetalmesh.com



Recommended specification: HM1638

Stainless steel wire rope: 1/16" (1.6 mm);
Mesh opening size: 1.5" x 1.5" (38 mm x 38mm);
Standard sheet size: 30' x 60'
Customized sheet height: 1' to 30'
Customized sheet width: 1' to 80'



Product ID	Wire cable diameter Inch	Wire cable diameter mm	Mesh hole size Inch	Mesh hole size mm	Weight (kg/m2)
HM2076	5/64"	2.00	3" x 3"	76 x 76	0.50
HM2050	5/64"	2.00	2" x 2"	51 x 51	0.80
HM1676	1/16"	1.60	3" x 3"	76 x 76	0.37
HM1650	1/16"	1.60	2" x 2"	51 x 51	0.50
HM1638	1/16"	1.60	1.5" x 1.5"	39 x 39	0.65



Recommended specification: HM2450

Stainless steel wire rope: 3/32" (2.38 mm);


Mesh opening size: 2" x 2" (51 mm x 51mm);

Standard sheet size: 30' x 60'

Customized sheet height: 1' to 30'

Customized sheet width: 1' to 80'

PRODUCT NO	Wire cable diameter inch	Wire cable diameter mm	Mesh hole size inch	Mesh hole size mm	Weight (kg/m2)
HM3276	1/8"	3.18	3" x 3"	76 x 76	1.40
HM3250	1/8"	3.18	2" x 2"	51 x 51	2.10
HM2476	3/32"	2.38	3" x 3"	76 x 76	0.72
HM2450	3/32"	2.38	2" x 2"	51 x 51	1.07





Recommended specification: HM3276

Stainless steel wire rope: 1/8" (3.18 mm);
Mesh opening size: 3" x 3" (51 mm x 51mm);
Standard sheet size: 30' x 60'
Customized sheet height: 1' to 30'
Customized sheet width: 1' to 80'

Product ID	Wire cable diameter Inch	Wire cable diameter mm	Mesh hole size Inch	Mesh hole size mm	Weight (kg/m2)
HM3210	1/8"	3.18	4" x 4"	102 x 102	0.96
HM3276	1/8"	3.18	3" x 3"	76 x 76	1.40
HM3250	1/8"	3.18	2" x 2"	51 x 51	2.10
HM2410	3/32"	2.38	4" x 4"	102 x 102	0.54
HM2476	3/32"	2.38	3" x 3"	76 x 76	0.72
HM2450	3/32"	2.38	2" x 2"	51 x 51	1.07





Recommended specification:HM3276

Stainless steel wire rope: 1/8" (3.18 mm);
Mesh opening size: 3" x 3" (51 mm x 51mm);
Standard sheet size: 30' x 60'
Customized sheet height: 1' to 30'
Customized sheet width: 1' to 80'

Product ID	Wire cable diameter Inch	Wire cable diameter mm	Mesh hole size Inch	Mesh hole size mm	Weight (kg/m2)
HM3210	1/8"	3.18	4" x 4"	102 x 102	0.96
HM3276	1/8"	3.18	3" x 3"	76 x 76	1.40
HM3250	1/8"	3.18	2" x 2"	51 x 51	2.10
HM2410	3/32"	2.38	4" x 4"	102 x 102	0.54
HM2476	3/32"	2.38	3" x 3"	76 x 76	0.72
HM2450	3/32"	2.38	2" x 2"	51 x 51	1.07





Heb metal mesh

Lion enclosure fence mesh

Recommended specification: HM3276

Stainless steel wire rope: 1/8" (3.18 mm);
Mesh opening size: 3" x 3" (51 mm x 51mm);
Standard sheet size: 30' x 60'
Customized sheet height: 1' to 30'
Customized sheet width: 1' to 80'



Product ID	Wire cable diameter Inch	Wire cable diameter mm	Mesh hole size Inch	Mesh hole size mm	Weight (kg/m2)
HM3210	1/8"	3.18	4" x 4"	102 x 102	0.96
HM3276	1/8"	3.18	3" x 3"	76 x 76	1.40
HM3250	1/8"	3.18	2" x 2"	51 x 51	2.10
HM2410	3/32"	2.38	4" x 4"	102 x 102	0.54
HM2476	3/32"	2.38	3" x 3"	76 x 76	0.72
HM2450	3/32"	2.38	2" x 2"	51 x 51	1.07



HEBEI KETONG METAL MESH INDUSTRY CO. LTD
<http://www.hebmetalmesh.com> info@hebmetalmesh.com